

# SuperEar®

Personal Sound Amplifier



HEADPHONES	SE5000	SE7500	SE9000HP
STEREO HEADPHONES	✓	✓	✓
STEREO EARBUDS	✓	✓	✓
SOUND			
AMBIENT SOUND GAIN	50+dB	50+dB	50+dB
VOLUME CONTROL WHEEL	On Unit	On Unit	On Unit
MAXIMUM OUTPUT	107 dB	107 dB	107 dB
FREQUENCY RANGE	100-14000Hz	100-14000Hz	100-14000Hz
POWER			
ON/OFF SWITCH	✓	✓	✓
BATTERIES	1 AAA	2 AAA	2 AA
BATTERY LIFE	Up to 30 Hours	Up to 80 Hours	Up to 40 Hours
RECHARGEABLE CUBE AND CABLE	-	-	✓
EXTRA FEATURES			
UNIT WEIGHT	3 Ounces	3 Ounces	3 Ounces
SWIVEL MICROPHONE	✓	-	-
CARRYING CASE	-	✓	-
BELT/POCKET CLIP	✓	✓	✓
FREQUENCY SELECTOR SWITCH	-	-	✓
3-YEAR WARRANTY	✓	✓	✓
AUTOMATIC SHUT OFF	-	✓	-
COMPLIANCE			
ADA & ACA	✓	✓	✓
CMS MDS 3.0	✓	✓	✓
SANITARY EAR-PAD COVERS AVAILABLE	✓	✓	✓

Contact us to learn more about **special healthcare pricing** when you order directly from us.



[www.superear.com](http://www.superear.com)

[superear@sonictechnology.com](mailto:superear@sonictechnology.com)

For customer reviews, demonstrations, company, and product history: [www.sonictechnology.com](http://www.sonictechnology.com)

1-800-247-5548 | FAX 530-272-4257  
P.O. Box 539, Grass Valley, CA 95945

# SuperEar<sup>®</sup>

Personal Sound Amplifier

# ORDER FORM

FAX TO: (530) 272-4257

QUANTITY	PRODUCT	PRICE
----------	---------	-------

**Qualified healthcare buyers receive up to 30% off of the prices below. Please contact us to learn more.**

_____	SE5000 - SuperEar <sup>®</sup> Standard	\$64.95
_____	SE7500 - SuperEar <sup>®</sup> Plus	\$74.95
_____	SE9000HP - SuperEar <sup>®</sup> Rechargeable	\$104.95
_____	SE-HP - Replacement Headphones	\$15.95
_____	EPC100 - 50 pairs Disposable Sanitary Ear Pad Covers	\$22.00
_____	EPF200 - 10 pairs Replacement Foam Ear Pad Covers	\$15.95
_____	SE-EB - SuperEar <sup>®</sup> Hook Style Earbuds	\$15.95
_____	SECABLE3M - SuperEar <sup>®</sup> Headphone Extension Cable	\$12.95
<b>Total:</b>		\$ _____

## SHIPPING DETAILS

<b>Apply to all purchases</b>	<b>1-9 ITEMS:</b> \$10.95	<b>10-39 ITEMS:</b> \$18.95	<b>40+ ITEMS:</b> Actual Price	<b>Shipping:</b> \$ _____
-------------------------------	------------------------------	--------------------------------	-----------------------------------	---------------------------

**Total Price:** \$ \_\_\_\_\_

Facility Name (if applicable): \_\_\_\_\_

Name: \_\_\_\_\_ Title/Position (if applicable): \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Visa/MC/AE #: \_\_\_\_\_ Exp. Date: \_\_\_\_\_

Check enclosed PO# (if applicable)\* \_\_\_\_\_ \*with approved credit application

E-mail: \_\_\_\_\_

Telephone: \_\_\_\_\_ FAX: \_\_\_\_\_

I am interested in the Hospital Direct Program, and would like more information.

Please Contact Me:  E-mail  Phone  FAX

**SonicTechnology**  
Quality and Innovation since 1981

For customer reviews, demonstrations, company, and product history: [www.sonictechnology.com](http://www.sonictechnology.com)

[www.superear.com](http://www.superear.com)  
[superear@sonictechnology.com](mailto:superear@sonictechnology.com)

1-800-247-5548 | FAX 530-272-4257  
P.O. Box 539, Grass Valley, CA 95945

# Manufacturer Suggested Cleaning Recommendations

**CMS 3.0 and ADA compliant Personal Sound Amplifiers**  
**SuperEar® Models SE5000, SE7500, SE9000HP**



The SuperEar® amplifier and accessories can be cleaned with a light application of an alcohol-based disinfectant.

Caustic cleaning agents can prevent health risks but reduce headphone life. All SuperEar® hearing amplifiers come packaged with a pair of comfort foam ear pads on the included headphones to help keep individuals comfortable during extended periods of use. Replacement headphones (SE-HP) and foam pads (EPF200) are available for purchase, however, should something happen while the product is under warranty, please contact us.

In a hospital or long-term care environment, disposable headphone earpad covers (EPC100) can provide economical and inexpensive shields from cross-contamination for multiple headphone users while still providing sound clarity. EPC100 are sanitary disposable headphone earpad covers for small headphones. Soft, comfortable, inert fabric allows MRI scans, and is hypoallergenic, perfect for hospital patients. Our hygienic breathable material allows clear sound quality while maintaining sanitary inter-person use. Easy to apply and replace after each use, Ear Pad Covers can be removed and discarded. The plastic portion of the headphones can be cleaned with a light application of an alcohol based disinfectant.

For added convenience and control, Sonic Technology disposable covers come in a box of 100 covers (50 pairs) for easy storage and distribution.

## EPC100 Disposable Hygienic Earpad Covers

- EPC100 are Ideal for hospital, home, and healthcare environments
- Elastic stretches and secures on most small headphones
- Fits personal headphones of SE5000, SE7500, and SE9000HP
- Earpad covers are conveniently packaged 100 individual covers (50 pair) per box
- Hypoallergenic woven material is breathable and stretches 2.5" inches in diameter



**SonicTechnology**  
Quality and Innovation since 1981

[www.sonictechnology.com](http://www.sonictechnology.com)  
[superear@sonictechnology.com](mailto:superear@sonictechnology.com)

It is always best to consult with your Infection Control Officer regarding proper cleaning procedures

**FAX 530-272-4257 | 1-800-247-5548**  
P.O. Box 539, Grass Valley, CA 95945

# SuperEar®

SE5000

## Personal Sound Amplifier

### HANDHELD SOUND AMPLIFIER

<b>Automatic Shut Off</b>	No
<b>Microphone</b>	50dB gain, multielement, swivel type
<b>Body Frame Material</b>	High Impact ABS
<b>Max Output</b>	107 dB
<b>Humidity Operating Range</b>	At 20°C, 95% RH
<b>Operating Temperature</b>	0°C - 55°C
<b>Frequency Range</b>	100Hz - 14kHz
<b>Plug-in Connector</b>	Stereo Jack, 3.5mm diameter
<b>Power Source</b>	One AAA Alkaline battery (included)
<b>Weight</b>	3 oz.
<b>Belt/Pocket Clip</b>	Included

### HEADPHONES (SE-HP)

<b>Diaphragm</b>	Mylar, diameter 30mm.
<b>Impedance</b>	32 ohms +/- 20% at 1kHz
<b>Nominal Power</b>	20mW
<b>Max Power</b>	40mW
<b>Sensitivity</b>	100 dB S.P.L +/- 2dB 1kHz
<b>Balance per Channel</b>	+/- 3 dB at 1kHz
<b>Frequency Response</b>	20Hz-20kHz
<b>Plug-in Connector</b>	Stereo Plug, 3.5mm diameter
<b>Cord Length</b>	1150mm - +/-50mm
<b>Weight</b>	50g +/-5g
<b>Earpad</b>	Black, cushioned sponge

### EARBUDS (LC-EB)

<b>Diaphragm</b>	Mylar, diameter 10mm.
<b>Impedance</b>	32 ohms +/- 15% at 1kHz
<b>Nominal Power</b>	5mW
<b>Max Power</b>	10mW
<b>Sensitivity</b>	105 dB S.P.L +/- 3dB 1kHz
<b>Balance per Channel</b>	+/- 3 dB at 1kHz
<b>Frequency Response</b>	20Hz-20kHz 1kHz
<b>Plug-in Connector</b>	Stereo Plug, 3.5mm diameter
<b>Cord Length</b>	1150mm - +/-50mm
<b>THD</b>	Less than 5% at 1kHz 0.126V
<b>Weight</b>	50g +/-5g



HS TARIFF CODE: 8515.50

### SE5000 DETAILS

<b>WARRANTY</b>	3 year
<b>MEASUREMENTS</b>	3.05"x 2"x 0.75"
<b>CERTIFIED</b>	CE & ROHS
<b>COMPLIANT</b>	CMS, MDS, ADA, ACA 1557, Prop 65

Cleaning instructions available



# SonicTechnology

Quality and Innovation since 1981

Use with Disposable Sanitary Earpad Covers  
- Model EPC100

[www.sonictechnology.com](http://www.sonictechnology.com)  
[superear@sonictechnology.com](mailto:superear@sonictechnology.com)

FAX 530-272-4257 | 1-800-247-5548  
P.O. Box 539, Grass Valley, CA 95945

V1.11/21/19

# SuperEar®

SE7500



HS TARIFF CODE: 8515.50

## Personal Sound Amplifier

### HANDHELD SOUND AMPLIFIER

<b>Automatic Shut Off</b>	Yes, 45 minutes
<b>Microphone</b>	50dB, integrated
<b>Body Frame Material</b>	High Impact ABS
<b>Max Output</b>	107 dB
<b>Humidity Operating Range</b>	At 20°C, 95% RH
<b>Operating Temperature</b>	0°C - 55°C
<b>Frequency Range</b>	100Hz - 14kHz
<b>Plug-in Connector</b>	Stereo Jack, 3.5mm diameter
<b>Power Source</b>	Two AAA Alkaline battery (included)
<b>Weight</b>	3 oz.
<b>Belt/Pocket Clip</b>	Included

### HEADPHONES (SE-HP)

<b>Diaphragm</b>	Mylar, diameter 30mm.
<b>Impedance</b>	32 ohms +- 20% at 1kHz
<b>Nominal Power</b>	20mW
<b>Max Power</b>	40mW
<b>Sensitivity</b>	100 dB S.P.L +- 2dB 1kHz
<b>Balance per Channel</b>	+ - 3 dB at 1kHz
<b>Frequency Response</b>	20Hz-20kHz
<b>Plug-in Connector</b>	Stereo Plug, 3.5mm diameter
<b>Cord Length</b>	1150mm - +-50mm
<b>Weight</b>	50g +-5g
<b>Earpad</b>	Black, cushioned sponge

### EARBUDS (LC-EB)

<b>Diaphragm</b>	Mylar, diameter 10mm.
<b>Impedance</b>	32 ohms +- 15% at 1kHz
<b>Nominal Power</b>	5mW
<b>Max Power</b>	10mW
<b>Sensitivity</b>	105 dB S.P.L +- 3dB 1kHz
<b>Balance per Channel</b>	+ - 3 dB at 1kHz
<b>Frequency Response</b>	20Hz-20kHz 1kHz
<b>Plug-in Connector</b>	Stereo Plug, 3.5mm diameter
<b>Cord Length</b>	1150mm - +-50mm
<b>THD</b>	Less than 5% at 1kHz 0.126V
<b>Weight</b>	50g +-5g

## SE7500 DETAILS

<b>WARRANTY</b>	3 year
<b>MEASUREMENTS</b>	3.05" x 2" x 0.75"
<b>CERTIFIED</b>	CE & ROHS
<b>COMPLIANT</b>	CMS, MDS, ADA, ACA 1557, Prop 65

Cleaning instructions available



**SonicTechnology**  
Quality and Innovation since 1981

[www.sonictechnology.com](http://www.sonictechnology.com)  
[superear@sonictechnology.com](mailto:superear@sonictechnology.com)

Use with Disposable Sanitary Earpad Covers  
- Model EPC100

FAX 530-272-4257 | 1-800-247-5548  
P.O. Box 539, Grass Valley, CA 95945

V1.1 11/21/19

# Rechargeable SuperEar®

SE9000HP

## Personal Sound Amplifier

### HANDHELD SOUND AMPLIFIER

<b>Microphone</b>	50dB, multi-element, integrated
<b>Body Frame Material</b>	High Impact ABS
<b>Max Output</b>	107 dB
<b>Humidity Operating Range</b>	At 20°C, 95% RH
<b>Frequency Range</b>	Low: 25Hz - 3.5kHz Medium: 100Hz - 18kHz High: 900Hz - 25kHz
<b>Frequency Switch</b>	3-position, user selectable
<b>Plug-in Connector</b>	Stereo Jack, 3.5mm diameter
<b>Power Source</b>	Two AA Ni-MH batteries (included)
<b>USB Charger</b>	110/240VAC, USB to Mini-B jack
<b>Operation Time</b>	Approx. 40 hours per charge

### HEADPHONES (SE-HP)

<b>Diaphragm</b>	Mylar, diameter 30mm.
<b>Impedance</b>	32 ohms +- 20% at 1kHz
<b>Nominal Power</b>	20mW
<b>Max Power</b>	40mW
<b>Sensitivity</b>	100 dB S.P.L +- 2dB 1kHz
<b>Balance per Channel</b>	+ - 3 dB at 1kHz
<b>Frequency Response</b>	20Hz-20kHz
<b>Plug-in Connector</b>	Stereo Plug, 3.5mm diameter
<b>Cord Length</b>	1150mm - +-50mm
<b>Weight</b>	50g +-5g
<b>Earpad</b>	Black, cushioned sponge

### EARBUDS (LC-EB)

<b>Diaphragm</b>	Mylar, diameter 10mm.
<b>Impedance</b>	32 ohms +- 15% at 1kHz
<b>Max Power</b>	10mW
<b>Sensitivity</b>	105 dB S.P.L +- 3dB 1kHz
<b>Balance per Channel</b>	+ - 3 dB at 1kHz
<b>Frequency Response</b>	20Hz-20kHz 1kHz
<b>Plug-in Connector</b>	Stereo Plug, 3.5mm diameter
<b>Cord Length</b>	1150mm - +-50mm
<b>THD</b>	Less than 5% at 1kHz 0.126V
<b>Weight</b>	50g +-5g



HS TARIFF CODE: 8515.50

## SE9000HP DETAILS

<b>WARRANTY</b>	3 year
<b>MEASUREMENTS</b>	3.05"x 2"x 0.75"
<b>CERTIFIED</b>	CE & ROHS
<b>COMPLIANT</b>	CMS, MDS, ADA, ACA 1557, Prop 65

Cleaning Instructions Available



# SonicTechnology

Quality and Innovation since 1981

Use with Disposable Sanitary Earpad Covers  
- Model EPC100

[www.sonictechnology.com](http://www.sonictechnology.com)  
[superear@sonictechnology.com](mailto:superear@sonictechnology.com)

FAX 530-272-4257 | 1-800-247-5548  
P.O. Box 539, Grass Valley, CA 95945

V1.1 11/21/19

# SuperEar®

## Personal Sound Amplifier

### SANITARY EAR-PAD COVERS (EPC100)

<b>Covers per Package</b>	100 units (50 pairs)
<b>Material</b>	Hypoallergenic woven, breathable
<b>Size</b>	Up to 2.5 inches diameter
<b>Giftbox</b>	5.0" x 5.0"
<b>Weight</b>	1 ounce

### HEADPHONES (SE-HP)

<b>Diaphragm</b>	Mylar, diameter 30mm.
<b>Impedance</b>	32 ohms +- 20% at 1kHz
<b>Nominal Power</b>	20mW
<b>Max Power</b>	40mW
<b>Sensitivity</b>	100 dB S.P.L +- 2dB 1kHz
<b>Balance per Channel</b>	+/- 3 dB at 1kHz
<b>Frequency Response</b>	20Hz-20kHz 1kHz
<b>Plug-in Connector</b>	Stereo Plug, 3.5mm diameter
<b>Cord Length</b>	1150mm - +/-50mm
<b>Weight</b>	50g +/-5g
<b>Earpad</b>	Black, cushioned sponge

### EARBUDS (LC-EB)

<b>Diaphragm</b>	Mylar, diameter 10mm.
<b>Impedance</b>	32 ohms +- 15% at 1kHz
<b>Max Power</b>	10mW
<b>Sensitivity</b>	105 dB S.P.L +- 3dB 1kHz
<b>Balance per Channel</b>	+/- 3 dB at 1kHz
<b>Frequency Response</b>	20Hz-20kHz 1kHz
<b>Plug-in Connector</b>	Stereo Plug, 3.5mm diameter
<b>Cord Length</b>	1150mm - +/-50mm
<b>THD</b>	Less than 5% at 1kHz 0.126V
<b>Weight</b>	50g +/-5g


## Accessories

### PRODUCT DETAILS

CERTIFIED

CE & ROHS

Replacement foam pads and earbud tips are available for purchase.




LIGHTWEIGHT, PREMIUM QUALITY STEREO HEADPHONES AND EARBUDS

COMPATIBLE WITH ALL SUPEREAR MODEL HEADPHONES



GIFTBOX WITH 50 PAIRS (100 INDIVIDUAL COVERS)



**SonicTechnology**  
Quality and Innovation since 1981

Cleaning instructions available

[www.sonictechnology.com](http://www.sonictechnology.com)  
[superear@sonictechnology.com](mailto:superear@sonictechnology.com)

FAX 530-272-4257 | 1-800-247-5548  
P.O. Box 539, Grass Valley, CA 95945

V1.1 11/21/19